

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BRIGADE GRANULAR INSECTICIDE

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Suite G.01, 12 Julius Avenue
North Ryde NSW 2113
Australia

Telephone : 1 800 066 355

Telefax : (02) 9923 6011

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixm)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version 1.0 Revision Date: 12.02.2025 SDS Number: 50001735 Date of last issue: -
Date of first issue: 12.02.2025

Components

Chemical name	CAS-No.	Concentration (% w/w)
bifenthrin (ISO)	82657-04-3	< 1
Quartz (SiO ₂)	14808-60-7	>= 90 -<= 95

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May cause damage to organs if inhaled.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical
Foam
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Firefighters should wear protective clothing and self-contained breathing apparatus.
Hazchem Code	:	2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version 1.0 Revision Date: 12.02.2025 SDS Number: 50001735 Date of last issue: -
Date of first issue: 12.02.2025

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO ₂)	14808-60-7	TWA (Respirable dust)	0.05 mg/m ³	AU OEL
		Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans		
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
In case of dust exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granules

Colour : light tan

Odour : musty

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version 1.0	Revision Date: 12.02.2025	SDS Number: 50001735	Date of last issue: - Date of first issue: 12.02.2025
----------------	------------------------------	-------------------------	--

Odour Threshold : No data available

pH : 6.8 - 7.1

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Flash point : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.39 lb/scf

Bulk density : 50 - 53 lb/scf

Solubility(ies)
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Components:**bifenthrin (ISO):**

Acute oral toxicity	:	LD50 (Rat, male and female): 56.7 mg/kg Symptoms: Convulsions, Tremors, ataxia LD50 (Mouse, female): 42.5 mg/kg Method: OPPTS 870.1100
Acute inhalation toxicity	:	LC50 (Rat, female): 0.6 - 1.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Tremors, Convulsions

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

LC50 (Rat, male): 1.10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Remarks: no mortality

Quartz (SiO₂):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Result : No skin irritation

Components:

bifenthrin (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight or no skin irritation.
GLP : yes

Quartz (SiO₂):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result : No eye irritation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

Components:**bifenthrin (ISO):**

Species	:	Rabbit
Result	:	Slight or no eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

Quartz (SiO₂):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Result	:	Not a skin sensitizer.
--------	---	------------------------

Components:**bifenthrin (ISO):**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.
GLP	:	yes

Quartz (SiO₂):

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
Remarks	:	Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

Components:**bifenthrin (ISO):**

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: Chinese hamster ovary cells
-----------------------	---	---

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

Quartz (SiO₂):

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

Components:**bifenthrin (ISO):**

Species	: Rat, female
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 3 mg/kg bw/day
Result	: negative

Species : Mouse, male

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

Application Route	: Oral
Exposure time	: 18 month(s)
NOAEL	: 7.6 mg/kg bw/day
Result	: positive
Symptoms	: malignant tumors

Quartz (SiO₂):

Carcinogenicity - Assessment	: Human carcinogen.
------------------------------	---------------------

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**bifenthrin (ISO):**

Effects on fertility	: Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 3 mg/kg bw/day General Toxicity F1: NOAEL: 5 mg/kg bw/day Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day Teratogenicity: NOAEL: 2.7 mg/kg bw/day Symptoms: Maternal effects Result: No teratogenic effects Test Type: Embryo-foetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 1 mg/kg bw/day Teratogenicity: NOAEL: 2 mg/kg bw/day Result: No teratogenic effects Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day Embryo-foetal toxicity: NOEL: 9.0 mg/kg bw/day Method: OECD Test Guideline 426 Result: Animal testing did not show any effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Based on available data, the classification criteria are not met.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

Components:**bifenthrin (ISO):**

Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.
------------	---	--

Components:**bifenthrin (ISO):**

Target Organs	:	Central nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Quartz (SiO₂):

Exposure routes	:	Inhalation
Target Organs	:	Lungs
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Exposure routes	:	Inhalation
Target Organs	:	Immune system, Kidney
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity**Components:****bifenthrin (ISO):**

Species	:	Rat, male and female
NOEL	:	100 ppm
Application Route	:	Oral - feed
Exposure time	:	90 d
Remarks	:	No toxicologically significant effects were found.

Species	:	Dog, male and female
NOEL	:	2.5 mg/kg bw/day
Application Route	:	Oral - feed
Exposure time	:	13 w
Symptoms	:	Tremors

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

Quartz (SiO₂):

Species	: Rat
LOAEC	: 0.0025 mg/l
Application Route	: Inhalation
Exposure time	: 90 day
Method	: OECD Test Guideline 413
Target Organs	: Lungs
Remarks	: Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

bifenthrin (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks	: No data available
---------	---------------------

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

bifenthrin (ISO):

Toxicity to fish	: LC50 (Salmo gairdneri): 0.00015 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00035 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Oncorhynchus mykiss (rainbow trout)): 0.000256 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes LC50 (Pimephales promelas (fathead minnow)): 0.000234 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 0.00011 mg/l Exposure time: 48 h

BRIGADE GRANULAR INSECTICIDE

Version 1.0	Revision Date: 12.02.2025	SDS Number: 50001735	Date of last issue: - Date of first issue: 12.02.2025
----------------	------------------------------	-------------------------	--

LC50 (Daphnia (water flea)): 0.0016 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.822 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0013 µg/l
Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00095 µg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): > 16 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

LD50 (Apis mellifera (bees)): 0.1 - 0.35 µg/bee
Exposure time: 24 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0.1 - 0.3 µg/bee
Exposure time: 24 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

Quartz (SiO₂):
Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l
Exposure time: 72 h

Persistence and degradability**Components:****bifenthrin (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2.2 d
Hydrolysis: at 60 °C

Degradation half life (DT50): 15.6 d
Hydrolysis: at 40 °C

Quartz (SiO₂):

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version 1.0	Revision Date: 12.02.2025	SDS Number: 50001735	Date of last issue: - Date of first issue: 12.02.2025
----------------	------------------------------	-------------------------	--

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Components:

bifenthrin (ISO):

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1,709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 6.6

Quartz (SiO₂):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

bifenthrin (ISO):

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37
Remarks: immobile

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Bifenthrin)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Bifenthrin)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Bifenthrin)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version 1.0	Revision Date: 12.02.2025	SDS Number: 50001735	Date of last issue: - Date of first issue: 12.02.2025
----------------	------------------------------	-------------------------	--

	N.O.S. (Bifenthrin)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 2Z
Environmentally hazardous	: yes
Remarks	: Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument	: No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
---	--

APVMA No.: 52791

Prohibition/Licensing Requirements	: Quartz (SiO ₂) Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.
------------------------------------	---

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains one or several components that are not on the Canadian DSL nor NDSL.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date	:	12.02.2025
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.02.2025	50001735	Date of first issue: 12.02.2025

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N